

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Cutting Board Oil

Other means of identification Not available

Recommended use Treatment of wood surfaces

Recommended restrictions None known.

Manufacturer information Howard Products Inc.

560 Linne Road

Paso Robles, CA 93446 US Phone: 1-805-227-1000

Emergency Phone: CHEMTREC: 1-800-424-9300

Supplier See above.

2. Hazards Identification

Physical hazardsNot classified.Health hazardsNot classified.Environmental hazardsNot classified.WHMIS 2015 defined hazardsNot classified

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known

None known.

Supplemental information

None.

3. Composition/Information on Ingredients

Mixture

Chemical nameCommon name and synonymsCAS number%White mineral oil (petroleum)8042-47-5100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

InhalationIf symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.Skin contactFlush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion Rinse mouth. DO NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to

reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.

Obtain medical attention.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

#28917 Page: 1 of 7 Issue date 17-January-2019

Indication of immediate medical attention and special treatment needed

Treat patient symptomatically. Symptoms may be delayed.

sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing

General information

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

General fire hazards Hazardous combustion

products

Specific methods

Foam. Dry chemicals. Carbon dioxide.

Do not use water jet.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

If you feel unwell, seek medical advice (show the label where possible). Show this safety data

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Environmental precautions

Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes,

streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form	
White mineral oil (petroleum) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	, Type	Value	Form	
White mineral oil (petroleum) (CAS	TWA	1 mg/m3	Mist.	
8042-47-5)				

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	, Value	Form
White mineral oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.

#28917 Page: 2 of 7 Issue date 17-January-2019 Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components

Type

Value

Form

White mineral oil (petroleum) (CAS 8042-47-5)

STEL

10 mg/m3

Mist.

Mist.

Mist.

Components

Type PEL

TWA

5 mg/m3
Value

5 mg/m3

Form

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

White mineral oil

(petroleum) (CAS 8042-47-5)

US. ACGIH Threshold Limit Values

Components

Type TWA Value 5 mg/m3 Form

Inhalable fraction.

White mineral oil (petroleum) (CAS 8042-47-5)

US. NIOSH: Pocket Guide to Chemical Hazards

Components
White mineral oil (petroleum) (CAS

Type STEL Value 10 mg/m3 Form Mist.

Mist.

(petroleum) (CAS 8042-47-5)

TWA

5 mg/m3

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not available.

Skin protection

Hand protection Confirm with a reputable supplier first.

Other

Respiratory protection

Wear appropriate chemical resistant clothing. As required by employer code.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance Oily Liquid. Physical state **Form** Liquid. Color Colorless Odor Petroleum Odor threshold Not available. Not available. Melting point/freezing point Not available. > 500 °F (> 260 °C) Initial boiling point and boiling

range

Pour point

10.4 °F (-12 °C) Not available.

Partition coefficient (n-octanol/water)

Specific gravity

Flash point 350.0 °F (176.7 °C) Cleveland Open Cup

Not available.

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

#28917 Page: 3 of 7 Issue date 17-January-2019

Upper/lower flammability or explosive limits

Not available. Flammability limit - lower

(%)

Flammability limit - upper Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure < 0.01 mm Hg @ 100°F (40°C)

Vapor density

Relative density 0.85 - 0.88 @ 60.1°F (15.6°C)

Not available. Solubility(ies) **Auto-ignition temperature** Not available. Not available. **Decomposition temperature**

Viscosity 25 - 120 cSt @ 104°F (40°C)

Other information

Not explosive. **Explosive properties** Not oxidizing. **Oxidizing properties**

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Do not mix with other chemicals. Strong acids. Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Eye, Skin contact, Inhalation, Ingestion. Routes of exposure

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation Health injuries are not known or expected under normal use.

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact Symptoms related to the

physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Not classified. **Acute toxicity**

Test Results Components Species

White mineral oil (petroleum) (CAS 8042-47-5)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 5.2 mg/L, 4 Hours, ECHA

> > 5 mg/L, 4 Hours, ECHA > 4.5 mg/L, 4 Hours, ECHA 2.2 mg/L, 4 Hours, ECHA

Oral

LD50 Rat > 5000 mg/kg, ECHA

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Not available. **Exposure minutes** Erythema value Not available.

#28917 Page: 4 of 7 Issue date 17-January-2019

Not available. Oedema value

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available. Iris lesion value Not available.

Conjunctival reddening

value

Not available.

Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

Contains < 3% (w/w) DMSO-extract

IARC Monographs. Overall Evaluation of Carcinogenicity

White mineral oil (petroleum) (CAS 8042-47-5) Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity

to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Not available. **Teratogenicity** Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Prolonged inhalation may be harmful. Chronic effects

12. Ecological Information

Ecotoxicity Not available.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

#28917 Page: 5 of 7 Issue date 17-January-2019 Not regulated as dangerous goods.

15. Regulatory Information

1 TONNES

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

White mineral oil (petroleum) (CAS 8042-47-5)

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

No

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

See below

US - California Hazardous Substances (Director's): Listed substance

White mineral oil (petroleum) (CAS 8042-47-5) Listed.

US - Minnesota Haz Subs: Listed substance

White mineral oil (petroleum) (CAS 8042-47-5) Listed.

US - Texas Effects Screening Levels: Listed substance

White mineral oil (petroleum) (CAS 8042-47-5) Listed.

US. Massachusetts RTK - Substance List

White mineral oil (petroleum) (CAS 8042-47-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

White mineral oil (petroleum) (CAS 8042-47-5)

US. Rhode Island RTK

White mineral oil (petroleum) (CAS 8042-47-5)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Inventory status

 Country(s) or region
 Inventory name
 On inventory (yes/no)*

 Canada
 Domestic Substances List (DSL)
 Yes

#28917 Page: 6 of 7 Issue date 17-January-2019

Country(s) or region Inventory name On inventory (yes/no)*


Canada Non-Domestic Substances List (NDSL) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





No

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

17-January-2019 Issue date

Version #

Effective date 17-January-2019

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the Other information

document.