

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Leather Salve
Other means of identification Not available
Recommended use Leather Care
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Howard Products Inc.
Address 560 Linne Road

Paso Robles, CA 93446

Telephone United States
1-805-227-1000
E-mail Not available.

Emergency phone number CHEMTREC: 1-800-424-9300

2. Hazards Identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Wear protective gloves. Contaminated work clothing must not be allowed out of the workplace.

Avoid breathing mist or vapor.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Wash

contaminated clothing before reuse. Specific treatment (see information on this label).

Storage Store away from incompatible materials.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Exempt - Consumer product

3. Composition/Information on Ingredients

Mixtures				
Chemical name	Common name and synonyms	CAS number	%	
White mineral oil (petroleum)		8042-47-5	25 - 50	
Coconut oil		8001-31-8	10 - 25	
Lanolin		8006-54-0	10 - 25	
Lard oil		8016-28-2	10 - 25	
Beeswax		8012-89-3	1 - 5	
d-Limonene		5989-27-5	1 - 5	
Paraffin wax		8002-74-2	1 - 5	

#30121 Page: 1 of 9 Issue date 15-January-2019

Chemical name	Common name and synonyms	CAS number	%
Aloe vera		85507-69-3	<1
Carnauba wax		8015-86-9	<1
Oils, orange, sweet		8008-57-9	<1
Soybean oil		8001-22-7	<1
Composition comments	US GHS: The exact percentage (concentration secret in accordance with paragraph (i) of §1		thheld as a trade
	4. First Aid Measures	3	
Inhalation	If symptoms develop move victim to fresh air.	. If symptoms persist, obtain m	edical attention.
Skin contact	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label).		
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.		
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.		
Most important symptoms/effects, acute and delayed	May cause an allergic skin reaction. Dermatit	tis. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre	eat symptomatically. Symptoms	may be delayed.
General information	If you feel unwell, seek medical advice (show personnel are aware of the material(s) involve this safety data sheet to the doctor in attenda Avoid contact with eyes and skin. Wear rubbe out of reach of children.	ed and take precautions to pro- ance. Wash contaminated cloth	ect themselves. Showing before reuse.
	5. Fire Fighting Measur	es	
Suitable extinguishing media	Foam. Dry chemical. Carbon dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Firefighters should wear a self-contained breathing apparatus.		
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothin	ng including self-contained brea	thing apparatus.
Fire fighting equipment/instructions	Cool containers exposed to heat with water s	spray and remove container, if r	no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		
	6. Accidental Release Mea	sures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe appropriate protective equipment and clothin not touch damaged containers or spilled mate Ensure adequate ventilation. Local authorities contained. For personal protection, see section	g during clean-up. Avoid breath erial unless wearing appropriat s should be advised if significal	ing mist or vapor. Do e protective clothing.
Methods and materials for containment and cleaning up	Wipe up with absorbent material (e.g. cloth, f Clean surface thoroughly to remove residual the SDS.		
Environmental precautions	Do not discharge into lakes, streams, ponds courses or onto the ground.	or public waters. Avoid dischar	ge into drains, water
	7. Handling and Storag	ge	
Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact well-ventilated areas. Avoid prolonged or rep protective equipment. Wash thoroughly after handling this material. When using do not ear	eated contact with skin. Wear a handling. Use good industrial h t or drink.	appropriate personal lygiene practices in
Conditions for safe storage, including any incompatibilities	Store in a closed container away from incompaterials (see Section 10 of the SDS). Keep	patible materials. Store away fr out of reach of children.	om incompatible

#30121 Page: 2 of 9 Issue date 15-January-2019

8. Exposure Controls/Personal Protection

Occupational exposure limits

	s for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
Coconut oil (CAS 8001-31-8)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Soybean oil (CAS 8001-22-7)	PEL	5 mg/m3	Respirable fraction.
5551 <u>LL</u> 1)		15 mg/m3	Total dust.
White mineral oil (petroleum) (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Lim		Walter	Farm
Components	Туре	Value	Form
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
White mineral oil (petroleum) (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide			_
Components	Туре	Value	Form
Coconut oil (CAS 8001-31-8)	TWA	5 mg/m3	Respirable mist.
		10 mg/m3	Total mist
Paraffin wax (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
Soybean oil (CAS 8001-22-7)	TWA	5 mg/m3	Respirable mist.
,		10 mg/m3	Total mist
White mineral oil (petroleum) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
	ronmental Exposure Level (WEEL) Guides Type	Value	
Components		165.5 mg/m3	
d Limenana (CAC			
d-Limonene (CAS 5989-27-5)	TWA	•	
5989-27-5)		30 ppm	
5989-27-5)	No biological exposure limits noted for the inc	30 ppm gredient(s).	
5989-27-5)	No biological exposure limits noted for the inc Chemicals listed in section 3 that are not liste ACGIH.	30 ppm gredient(s). ed here do not have es	
5989-27-5)	No biological exposure limits noted for the inc	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosuorne levels below reco	be used. Ventilation rates ires, local exhaust ventilation mmended exposure limits.
logical limit values posure guidelines propriate engineering	No biological exposure limits noted for the inc Chemicals listed in section 3 that are not liste ACGIH. Good general ventilation (typically 10 air char should be matched to conditions. If applicable or other engineering controls to maintain airb	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosuorne levels below reco	be used. Ventilation rates ires, local exhaust ventilation mmended exposure limits.
logical limit values posure guidelines propriate engineering	No biological exposure limits noted for the inc Chemicals listed in section 3 that are not liste ACGIH. Good general ventilation (typically 10 air char should be matched to conditions. If applicable or other engineering controls to maintain airb exposure limits have not been established, m	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosu orne levels below reco naintain airborne levels	be used. Ventilation rates ires, local exhaust ventilation mmended exposure limits.
5989-27-5) logical limit values losure guidelines loropriate engineering ltrols	No biological exposure limits noted for the ing Chemicals listed in section 3 that are not lister ACGIH. Good general ventilation (typically 10 air chars should be matched to conditions. If applicable or other engineering controls to maintain air be exposure limits have not been established, manually such as personal protective equipment	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosu orne levels below reco naintain airborne levels	be used. Ventilation rates ires, local exhaust ventilation mmended exposure limits.
logical limit values losure guidelines loropriate engineering litrols lividual protection measures Eye/face protection	No biological exposure limits noted for the ing Chemicals listed in section 3 that are not lister ACGIH. Good general ventilation (typically 10 air chars should be matched to conditions. If applicable or other engineering controls to maintain air be exposure limits have not been established, manually such as personal protective equipment	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosu orne levels below reco naintain airborne levels ggles).	be used. Ventilation rates ires, local exhaust ventilation mmended exposure limits.
logical limit values losure guidelines loropriate engineering litrols lividual protection measures Eye/face protection Skin protection	No biological exposure limits noted for the ing Chemicals listed in section 3 that are not lister ACGIH. Good general ventilation (typically 10 air chars should be matched to conditions. If applicable or other engineering controls to maintain air be exposure limits have not been established, many second in the safety glasses with side shields (or goggan).	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosu orne levels below reco naintain airborne levels ggles). upplier first.	be used. Ventilation rates tres, local exhaust ventilation mmended exposure limits. to an acceptable level.
logical limit values losure guidelines losure guidelines loropriate engineering ltrols lividual protection measures Eye/face protection Skin protection Hand protection	No biological exposure limits noted for the ing Chemicals listed in section 3 that are not lister ACGIH. Good general ventilation (typically 10 air chars should be matched to conditions. If applicable or other engineering controls to maintain airb exposure limits have not been established, many section of the safety glasses with side shields (or gog Impervious gloves. Confirm with reputable so Wear appropriate chemical resistant clothing.	30 ppm gredient(s). ed here do not have es nges per hour) should e, use process enclosusorne levels below reconsintain airborne levels ggles). upplier first Use of an impervious needed, use an approvender the direction of a OSHA's respirator star	be used. Ventilation rates tres, local exhaust ventilation mmended exposure limits. to an acceptable level. apron is recommended. As a ded NIOSH respirator. trained health and safety adard (29 CFR 1910.134),

#30121 Page: 3 of 9 Issue date 15-January-2019

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. When using do not eat or drink.

9. Physical and Chemical Properties

Creamy **Appearance** Physical state Solid. Paste **Form**

Yellow brown paste Color

Odor Orange Not available. Odor threshold Not available. рH Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available.

Not available. Pour point Specific gravity Not available. **Partition coefficient** Not available.

(n-octanol/water)

> 200.0 °F (> 93.3 °C) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability limit - upper

Not available.

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density Not available. Solubility(ies) Not available. **Auto-ignition temperature** Not available.

Decomposition temperature Not available. Not available. Viscosity

Other information

Not explosive. **Explosive properties** Not oxidizing. **Oxidizing properties**

10. Stability and Reactivity

This product may react with strong oxidizing agents. Reactivity

Possibility of hazardous

Chemical stability

reactions

Hazardous polymerization does not occur.

Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Acids. Strong oxidizing agents. Oxidizers.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use.

Skin contact May cause an allergic skin reaction.

Direct contact with eyes may cause temporary irritation. Eye contact Ingestion May cause stomach distress, nausea or vomiting.

#30121 Page: 4 of 9 Issue date 15-January-2019 Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Test Results Components **Species**

Aloe vera (CAS 85507-69-3)

Acute

Dermal

Not available LD50

Inhalation

LC50 Not available

Oral

LD50 Not available

Beeswax (CAS 8012-89-3)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat > 5000 mg/kg, Spectrum

Carnauba wax (CAS 8015-86-9)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

LC50 Not available

Coconut oil (CAS 8001-31-8)

Acute

Dermal

LD50 Not available

Inhalation

LC50 Not available

Oral

> 5000 mg/kg, Santa Cruz Biotechnology, LD50 Rat

d-Limonene (CAS 5989-27-5)

Acute Dermal

LD50

Rabbit 5 g/kg, HSDB

Inhalation

LC50 Not available

Oral

LD50 5600 - 6600 mg/kg, HSDB Mouse

> Rat > 2000 mg/kg, ECHA

> > 4400 mg/kg, Fisher Scientific

Lanolin (CAS 8006-54-0)

Acute

Inhalation

LC50 Not available

Oral

LD50 Rat 41800 mg/kg

#30121 Page: 5 of 9 Issue date 15-January-2019

Components	Species	Test Results
_ard oil (CAS 8016-28-2)		
Acute		
Dermal		
LD50	Not available	
Inhalation		
LC50	Not available	
Oral		
LD50	Not available	
Dils, orange, sweet (CAS 8008	3-57-9)	
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg, RTECS
Inhalation		
LC50	Not available	
Oral		
LD50	Rat	> 5000 mg/kg, RTECS
Paraffin wax (CAS 8002-74-2)		
Acute		
Dermal		
LD50	Rabbit	> 3600 mg/kg, 24 Hours, ECHA
		> 4 ml/kg, 24 Hours, ECHA
	Rat	> 2000 mg/kg, 24 Hours, ECHA
In L. H. C.	ivat	> 2000 Hig/kg, 24 Flouis, EOFA
<i>Inhalation</i> LC50	Not available	
	Not available	
Oral	D	05 ml/km
LD50	Dog	> 25 ml/kg, ECHA
	Rat	> 5000 mg/kg
		> 60 ml/kg, ECHA
		> 10 ml/kg, ECHA
		> 5 ml/kg, ECHA
		10000 mg/kg, ECHA
2-1		10000 mg/kg, 201//
Soybean oil (CAS 8001-22-7)		
Acute		
<i>Dermal</i> LD50	Not available	
	Not available	
Inhalation	No. of the second	
LC50	Not available	
Oral		
LD50	Not available	
Vhite mineral oil (petroleum) (CAS 8042-47-5)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	> 5.2 mg/L, 4 Hours, ECHA
		> 5 mg/L, 4 Hours, ECHA
		> 4.5 mg/L, 4 Hours, ECHA
		2.2 mg/L, 4 Hours, ECHA
Oral		2.2 mg/c, 4 modio, EOM
<i>Oral</i> LD50	Rat	> 5000 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause te	mporary irritation.
Exposure minutes	Not available.	

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitizationMay cause an allergic skin reaction.Germ cell mutagenicityNon-hazardous by OSHA criteria.

Carcinogenicity See below.

ACGIH Carcinogens

White mineral oil (petroleum) (CAS 8042-47-5)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

d-Limonene (CAS 5989-27-5)

Volume 73 - 3 Not classifiable as to carcinogenicity to humans.

White mineral oil (petroleum) (CAS 8042-47-5)

Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity

to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effectsNot available.Further informationNot available.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components Species Test Results

d-Limonene (CAS 5989-27-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 69.6 mg/L, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 0.619 - 0.796 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

d-Limonene 4.232

Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal. Collect and

reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

#30121 Page: 7 of 9 Issue date 15-January-2019

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No

hazardous substance

No

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

US state regulations See below

US - Minnesota Haz Subs: Listed substance

Coconut oil (CAS 8001-31-8)

Paraffin wax (CAS 8002-74-2)

Soybean oil (CAS 8001-22-7)

White mineral oil (petroleum) (CAS 8042-47-5)

VEGETABLE OIL MISTS

US - New Jersey RTK - Substances: Listed substance

Paraffin wax (CAS 8002-74-2)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Coconut oil (CAS 8001-31-8)

Paraffin wax (CAS 8002-74-2)

Soybean oil (CAS 8001-22-7)

White mineral oil (petroleum) (CAS 8042-47-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Coconut oil (CAS 8001-31-8) Lanolin (CAS 8006-54-0) Lard oil (CAS 8016-28-2)

#30121 Page: 8 of 9 Issue date 15-January-2019

Paraffin wax (CAS 8002-74-2) Soybean oil (CAS 8001-22-7)

White mineral oil (petroleum) (CAS 8042-47-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Coconut oil (CAS 8001-31-8) Lanolin (CAS 8006-54-0)

Lard oil (CAS 8016-28-2) Paraffin wax (CAS 8002-74-2)

Soybean oil (CAS 8001-22-7)

White mineral oil (petroleum) (CAS 8042-47-5)

US. Rhode Island RTK

Coconut oil (CAS 8001-31-8) Lanolin (CAS 8006-54-0) Lard oil (CAS 8016-28-2) Paraffin wax (CAS 8002-74-2) Soybean oil (CAS 8001-22-7)

White mineral oil (petroleum) (CAS 8042-47-5)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Country(s) or region Inventory name On inventory (yes/no)* United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Yes

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date 15-January-2019

Version #

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

#30121 Page: 9 of 9 Issue date 15-January-2019