Revision Date: 09/10/2021

1. Identification

1.1. Product identifier

Product IdentitySunShieldAlternate NamesSunShield

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Howard Products, Inc.

560 Linne Road

Paso Robles, CA 93446

Emergency

CHEMTREC (USA) (800) 424-9300

24 hour Emergency Telephone No. EMERGENCY PHONE:1-805-227-1000

Customer Service: Howard Products, Inc. FAX PHONE: 1-805-227-1007

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Liq. 4;H227 Combustible Liquid.

Skin Irrit. 3;H316 Causes mild skin irritation. (Note: this GHS classification was not adopted by US

OSHA).

Skin Sens. 1;H317 May cause an allergic skin reaction.

2.2. Label elements



H227 Combustible liquid.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

[Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P235 Keep cool.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, face protection.

Revision Date: 09/10/2021

[Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see information on this label).

P332+313 IF SKIN IRRITATION OCCURS: Get medical advice or attention.

P333 If skin irritation or a rash occurs:

P362 Take off contaminated clothing and wash before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates Hydrotreated Heavy Parrafin CAS Number: 0064742-54-7	50 - 75	Not Classified	
Distillates (petroleum), hydrotreated light CAS Number: 0064742-47-8	10 - 25	Asp. Tox. 1;H304	
Paraffin Wax CAS Number: 0008002-74-2	1 - 5	Not Classified	
Beeswax CAS Number: 0008012-89-3	1 - 5	Not Classified	
Carnauba wax CAS Number: 0008015-86-9	1 - 5	Not Classified	
Orange terpenes CAS Number: 0008028-48-6	1 - 5	Flam. Liq. 2;H225 Asp. Tox. 1;H304	
2-Hydroxy-4-methoxybenzophenone CAS Number: 0000131-57-7	1 - 5		

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Revision Date: 09/10/2021

Eyes Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes

with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get

medical attention if any discomfort continues.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. DO NOT INDUCE

VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Overview Inhalation hazard, only if dust if created. Treat symptomatically. Exposure to solvent vapor

concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness

and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for

further details.

Skin May cause an allergic skin reaction. Causes mild skin irritation.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep cool.

Avoid breathing dust, fume, gas, mist, vapors, spray.

5.3. Advice for fire-fighters

Not Applicable

ERG Guide No. ---

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Revision Date: 09/10/2021

6.3. Methods and material for containment and cleaning up

Wipe up with cloth or sponge.

Section 7. Handling and storage

7.1. Precautions for safe handling

Store in a cool dry place.

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame.

Keep containers sealed when not in use.

Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000131-57-7	2-Hydroxy-4-methoxybenzophenone	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
008002-74-2	Paraffin Wax	OSHA	No Established Limit
		ACGIH	TWA: 2 mg/m3
		NIOSH	TWA 2 mg/m3
0008012-89-3	Beeswax	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0008015-86-9	Carnauba wax	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0008028-48-6	Orange terpenes	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-47-8	Distillates (petroleum), hydrotreated light	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Revision Date: 09/10/2021

0064742-54-7	Distillates Hydrotreated Heavy Parrafin	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

8.2. Exposure controls

Respiratory Dust mask

Eyes Safety glasses with side shields

Skin Not Applicable

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Color: Creamy yellow Wax Physical State: Solid

Odor Orange

Odor threshold

PH

Not Measured

Melting point / freezing point

Initial boiling point and boiling range

Not Measured

> 93.33 C (>200 F)

Flash Point 60.55 C (141 F) Tag Closed Cup

Evaporation rate (Ether = 1) < 1 (BuAc=1) **Flammability (solid, gas)**Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa) Not Measured **Vapor Density** > 1 (air=1)**Relative Density** Not Measured Solubility in Water Not Measured Partition coefficient n-octanol/water (Log Kow) Not Measured Auto-ignition temperature Not Measured Not Measured **Decomposition temperature** Viscosity (cSt) Not Measured

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Revision Date: 09/10/2021

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50,	Skin LD50.	Inhalation	Inhalation	Inhalation
	mg/kg	mg/kg	Vapor LC50, mg/L/4hr	Dust/Mist LC50, mg/L/4hr	Gas LC50, ppm
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Distillates (petroleum), hydrotreated light - (64742-47-8)	> 5,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available
Paraffin Wax - (8002-74-2)	> 5,000.00, Rat - Category: NA	>2,000.00, Rat - Category: 5	No data available	No data available	No data available
Beeswax - (8012-89-3)	No data available	No data available	No data available	No data available	No data available
Carnauba wax - (8015-86-9)	No data available	No data available	No data available	No data available	No data available
Orange terpenes - (8028-48-6)	5,000.00, Rat - Category: 5	5,000.00, Rabbit - Category: 5	No data available	No data available	No data available

Revision Date: 09/10/2021

Safety Data Sheet SunShield

2-Hydroxy-4-methoxybenzophenone - (131-57-7)	No data				
	available	available	available	available	available

Carcinogen Data

CAS No.	Ingredient	Source		Value		
0000131-57-7	2-Hydroxy-4-	OSHA	Regulated Carcinogen: No;			
	methoxybenzophenone	NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Established Limit			
0008002-74-2	Paraffin Wax	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish	ed Limit		
0008012-89-3	Beeswax	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish	ed Limit		
0008015-86-9	Carnauba wax	OSHA	Regulated C	arcinogen: No;		
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No	; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish			
0008028-48-6	Orange terpenes	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established Limit			
0064742-47-8	Distillates (petroleum),	OSHA	Regulated Carcinogen: No;			
	hydrotreated light	NTP	Known: No; Suspected: No;			
		IARC		; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
			No Established Limit			
0064742-54-7	Distillates Hydrotreated Heavy Parrafin	OSHA	Regulated Carcinogen: No;			
	i arraini	NTP		Suspected: No;		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No			
		ACGIH No Establish		ed Limit		
Classificatio	on	Ca	tegory	Hazard Description		
Acute toxicity	/ (oral)			Not Applicable		
Acute toxicity	/ (dermal)			Not Applicable		
Acute toxicity	/ (inhalation)			Not Applicable		
Skin corrosion/irritation			3	Causes mild skin irritation. (Note: this GHS classification was not adopted by US OSHA).		
Serious eye damage/irritation				Not Applicable		
Respiratory sensitization				Not Applicable		
Skin sensitization			1	May cause an allergic skin reaction.		
Germ cell mutagenicity				Not Applicable		
Carcinogenicity				Not Applicable		
Reproductive toxicity				Not Applicable		

STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

Revision Date: 09/10/2021

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	101.00, Pimephales promelas	> 10,000, Daphnia magna	100.00 (72 hr), Pseudokirchneriella subcapitata
Distillates (petroleum), hydrotreated light - (64742-47-8)	20.00, Oncorhynchus mykiss	1.40, Daphnia magna	8.30 (72 hr), Pseudokirchneriella subcapitata
Paraffin Wax - (8002-74-2)	101.00, Pimephales promelas	> 10,000, Daphnia magna	1,001.00 (72 hr), Pseudokirchneriella subcapitata
Beeswax - (8012-89-3)	Not Available	Not Available	Not Available
Carnauba wax - (8015-86-9)	Not Available	Not Available	Not Available
Orange terpenes - (8028-48-6)	0.702, Pimephales promelas	0.67, Daphnia magna	170.00 (72 hr), Desmodesmus subspicatus
2-Hydroxy-4-methoxybenzophenone - (131-57-7)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

Ecotoxicity:

The toxicity of this material to aquatic organisms has not been evaluated. Consequently, this material should be kept out of sewage and drainage systems and all bodies of water.

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Revision Date: 09/10/2021

Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA

Transportation) **Transportation)**

14.1. UN number Not Regulated Not Regulated Not Regulated

14.2. UN proper shipping Not Regulated Not Regulated Not Regulated name

14.3. Transport hazard **DOT Hazard Class: Not IMDG:** Not Applicable Air Class: Not Applicable **Applicable** Sub Class: Not Applicable Sub Class: Not class(es)

Sub Class: Not Applicable Applicable

Not Applicable 14.4. Packing group Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance

All components of this material are either listed or exempt from listing on the TSCA Control Act (TSCA) Inventory.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Revision Date: 09/10/2021

Section 16. Other information

Revision Date

09/10/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document