

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

1. Identification

1.1. Product identifier

Product Identity CHALK-TIQUE Paste Wax
Alternate Names CHALK-TIQUE Paste Wax

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Howard Products, Inc.
560 Linne Road
Paso Robles, CA 93446

Emergency Telephone No. 1-805-227-1000 (Monday - Friday 7:30am PST – 4:30pm PST)

Customer Service: Howard Products, Inc.

TELEPHONE NO.: 1-805-227-1000 (Monday - Friday 7:30am PST – 4:30pm PST)

FAX PHONE: 1-805-227-1007

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 3;H316 Causes mild skin irritation. (Not adopted by US OSHA)

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

Warning

H316 Causes mild skin irritation.

[Prevention]:

No GHS prevention statements

[Response]:

P332+313 If skin irritation occurs: Get medical advice / attention.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|---|--------|
| Petroleum distillates, hydrotreated light CAS Number: 0064742-47-8 | 50 - 70 | Asp. Tox. 1;H304 | [1] |
| Paraffin CAS Number: 0008002-74-2 | 1.0 - 15 | Not Classified | [1][2] |
| Carnauba wax CAS Number: 0008015-86-9 | 5 - 20 | Not Classified | [1] |
| Orange oil CAS Number: 0008008-57-9 | 5 - 20 | Flam. Liq. 3;H226 Skin Irrit. 2;H315 | [1] |
| Beeswax CAS Number: 0008012-89-3 | 1.0 - 15 | Not classified | [1] |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If victim is conscious and alert, give 2-4 cupfuls of milk or water. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Overview

Inhalation hazard, only if dust is created. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Skin

Causes mild skin irritation. (Not adopted by US OSHA)

5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

Not Applicable

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Wipe up with cloth or sponge.

7. Handling and storage

7.1. Precautions for safe handling

The requirements of the Highly Flammable Liquids and Liquefied Petroleum Gases Regulations apply if the flashpoint is between 21°C and 32°C.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place.

Naked flames and smoking should not be permitted in storage areas. It is recommended that fork lift trucks and electrical equipment are protected to the appropriate standard.

Incompatible materials: Strong oxidizing agents and acids.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|---|----------|-------------------------|
| 0008002-74-2 | Paraffin | OSHA | No Established Limit |
| | | ACGIH | TWA: 2 mg/m3 |
| | | NIOSH | TWA 2 mg/m3 |
| | | Supplier | No Established Limit |
| 0008008-57-9 | Orange oil | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 0008012-89-3 | Beeswax | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 0008015-86-9 | Carnauba wax | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| 0064742-47-8 | Petroleum distillates, hydrotreated light | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | Recommended 300 ppm PEL |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|--------------|-------------------------------------|--------|--|
| 0008002-74-2 | Paraffin | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0008008-57-9 | Orange oil | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0008012-89-3 | Beeswax | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0008015-86-9 | Carnauba wax | OSHA | Select Carcinogen: No |
| | | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0064742-47-8 | Petroleum distillates, hydrotreated | OSHA | Select Carcinogen: No |

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

| | | | |
|--|-------|------|--|
| | light | NTP | Known: No; Suspected: No |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

8.2. Exposure controls

| | |
|-----------------------------|---|
| Respiratory | Dust mask |
| Eyes | Safety glasses with side shields |
| Skin | Not Applicable |
| Engineering Controls | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. |

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

| | |
|--|--|
| Appearance | Yellow to Dark Brown Waxy solid |
| Odor | Citrus |
| Odor threshold | Not Available |
| pH | Not Established |
| Melting point / freezing point | 180 F |
| Initial boiling point and boiling range | 340-399 F |
| Flash Point | 148.1 F |
| Evaporation rate (Ether = 1) | Not Established |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Established Upper Explosive Limit: Not Established |
| Vapor pressure (Pa) | Not Established |
| Vapor Density | Not Established |
| Specific Gravity | 0.886 |
| Solubility in Water | Not Measured |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | Not Established |
| Decomposition temperature | Not Established |
| Viscosity (cSt) | Not Established |
| VOC Content | Not Established |

9.2. Other information

No other relevant information.

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|--|--------------------------------|-------------------|---------------------------------|-------------------------------------|--------------------------|
| Petroleum distillates, hydrotreated light - (64742-47-8) | > 5,000.00, Rat - Category: NA | No data available | No data available | No data available | No data available |
| Paraffin - (8002-74-2) | > 5,000.00, Rat - Category: NA | No data available | No data available | No data available | No data available |
| Carnauba wax - (8015-86-9) | No data available | No data available | No data available | No data available | No data available |
| Orange oil - (8008-57-9) | 5,000.00, Rat - Category: 5 | No data available | 13.00, Rat - Category: 4 | No data available | No data available |
| Beeswax - (8012-89-3) | No data available | No data available | No data available | No data available | No data available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

| Classification | Category | Hazard Description |
|-------------------------------|----------|---|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | 3 | Causes mild skin irritation. (Not adopted by US OSHA) |
| Serious eye damage/irritation | --- | Not Applicable |
| Respiratory sensitization | --- | Not Applicable |
| Skin sensitization | --- | Not Applicable |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|--|----------------------------|-------------------------------------|-------------------|
| Petroleum distillates, hydrotreated light - (64742-47-8) | 45.00, Pimephales promelas | 4,720.00, Dendronereides heteropoda | Not Available |
| Paraffin - (8002-74-2) | Not Available | Not Available | Not Available |
| Carnauba wax - (8015-86-9) | Not Available | Not Available | Not Available |
| Orange oil - (8008-57-9) | Not Available | Not Available | Not Available |
| Beeswax - (8012-89-3) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

12.6. Other adverse effects

Ecotoxicity:

The toxicity of this material to aquatic organisms has not been evaluated. Consequently, this material should be kept out of sewage and drainage systems and all bodies of water.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|------------------------------------|---------------------------------------|---|---------------------------|
| 14.1. UN number | Not Applicable | Not Regulated | Not Regulated |
| 14.2. UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| 14.3. Transport hazard class(es) | DOT Hazard Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable |
| 14.4. Packing group | Not Applicable | Not Applicable | Not Applicable |
| 14.5. Environmental hazards | | | |
| IMDG | Marine Pollutant: No | | |
| 14.6. Special precautions for user | No further information | | |

15. Regulatory information

| | |
|--|--|
| Regulatory Overview | The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. |
| Toxic Substance Control Act (TSCA) | All components of this material are either listed or exempt from listing on the TSCA Inventory. |
| WHMIS Classification | Not Regulated |
| US EPA Tier II Hazards | Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): No |

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Safety Data Sheet

CHALK-TIQUE Light Paste Wax

SDS Revision Date:

4/26/2021

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Paraffin

Pennsylvania RTK Substances (>1%):

Paraffin

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document